Government of Saskatchewan

Crop Report

Published by the Ministry of Agriculture
ISSN 0701 7085
Report number 11, July 9, 2015

For the Period June 30 to July 6, 2015

Haying continues in much of the province despite limited plant growth due to the shortfall in precipitation. Livestock producers now have 24 per cent of the hay crop cut and 15 per cent baled or put into silage, according to Saskatchewan Agriculture's weekly Crop Report.

One year ago
Despite flooding in many eastern areas of the province, conditions were slowly improving thanks to warm weather. Six per cent of the 2014 hay crop had been cut and one per cent had been baled or put into silage. Follow the 2015 Crop Report on Twitter @SKAgriculture

Hay quality is currently rated as four per cent excellent, 43 per cent good, 34 per cent fair and 19 per cent poor. Many hay swaths are significantly smaller than normal and producers are concerned that hay will be in short supply this year as pasture conditions continue to deteriorate from the lack of rainfall.

The Ministry of Agriculture has a Forage, Feed and Custom Service listing for producers to advertise and source feed products. It is available at:
http://www.agriculture.gov.sk.ca/FeedForageListing

Rainfall this past week ranged from trace amounts to nearly two inches in west-central areas. However, precipitation was spotty and most areas received either no rain or just light showers averaging a third of an inch. As a result, topsoil remains dry. Provincially, topsoil moisture conditions on cropland are rated as 33 per cent adequate, 45 per cent short and 22 per cent very short. Hay land and pasture topsoil moisture is rated as 23 per cent adequate, 41 per cent short and 36 per cent very short.

Crops are developing well in most of the province, although many crops in drier areas are short, thin and heading out and/or flowering earlier than normal. Sixty-seven per cent of the fall cereals and 39 per cent spring cereals are in the heading stage, with an additional 31 per cent of the fall cereals in the dough stage. Forty-five per cent of flax, 55 per cent of canola and mustard, and 82 per cent of pulse crops are in the flower to boll/pod stage.

Crop conditions vary throughout the province with the majority of crops in poor to good condition. Grasshoppers and lack of moisture remain significant causes of reported crop damage.

Farmers are busy controlling pests and cutting hay.

For further information, contact Brent Flaten, PAg,
Integrated Pest Management Specialist, Moose Jaw, Regional Services Branch,
Toll Free: 1-866-457-2377 or 306-694-3714, E-mail: cropreport@gov.sk.ca.
Also available on the Ministry of Agriculture website at www.agriculture.gov.sk.ca.

Agriculture and Agri-Food Canada | Agriculture et Agroalimentaire Canada

SCIC
SASKATCHEWAN CROP INSURANCE CORPORATION

Southeastern Saskatchewan (Crop District 1 – Carnduff, Estevan, Redvers, Moosomin and Kipling areas; Crop District 2 – Weyburn, Milestone, Moose Jaw, Regina and Qu'Appelle areas; Crop District 3ASE – Radville and Lake Alma areas)

Haying continues despite the lack of plant growth. Many producers indicate that there is not much hay to cut and bales will be in short supply. Twenty-six per cent of the hay crop has now been cut and 21 per cent has been baled or put into silage. Hay quality at this time is rated as four per cent excellent, 50 per cent good, 38 per cent fair and eight per cent poor. Pasture conditions at this time are rated as seven per cent excellent, 21 per cent good, 25 per cent fair, 45 per cent poor and two per cent very poor.

Varying amounts of rainfall were received across the region, ranging from trace amounts to about an inch in the Manor area. Since April 1, the Moosomin area has recorded 160 mm of rainfall, the greatest amount for the region.

Topsoil moisture conditions are quickly deteriorating due to the hot and dry weather. Cropland topsoil moisture is currently rated as 43 per cent adequate, 40 per cent short and 17 per cent very short. Hay land and pasture topsoil moisture is rated as 37 per cent adequate, 43 per cent short and 20 per cent very short. Crop District 3ASE is reporting that 87 per cent of both cropland and hay land and pasture are short to very short topsoil moisture at this time. Rain is needed to help replenish topsoil moisture in the region. However, rainfall will not help some crops, hay or pasture develop as staging is too advanced.

Crop development varies through the region but the majority of crops are in poor to good condition. Some earlier-seeded crops have prematurely headed out and/or flowered due to moisture stress, and stands remain short and thin. The majority of crop damage this week was caused by lack of moisture and insects (mainly flea beetles, cutworms and diamondback moth worms).

Farmers are busy controlling pests, cutting hay where they can and hoping for rain.

Southwestern Saskatchewan (Crop District 3ASW – Coronach, Assiniboia and Ogema areas; Crop District 3AN – Gravelbourg, Mossbank, Mortlach and Central Butte areas; Crop District 3B – Kyle, Swift Current , Shaunavon and Ponteix areas; Crop District 4 – Consul, Maple Creek and Leader areas)

Thirty per cent of the hay crop has been cut and 27 per cent has been baled or put into silage. Many producers have indicated that there is not much hay to cut and that bales will be in short supply this year. In some cases, producers have no hay to cut. Hay quality is rated as 41 per cent good, 41 per cent fair and 18 per cent poor. Pasture conditions are rated as one per cent excellent, 12 per cent good, 29 per cent fair, 45 per cent poor and 13 per cent very poor.

Very little rain fell last week, ranging from trace amounts to 38 mm (the Shaunavon area). The Eastend area received 32 mm last week, bringing its total rainfall since April 1 to 141 mm, the greatest amount for the region.

Despite the showers during the last week, topsoil moisture conditions remainpoor. Cropland topsoil moisture conditions are rated as 12 per cent adequate, 55 per cent short and 33 per cent very short, while hay land and pasture topsoil moisture conditions are rated as eight per cent adequate, 33 per cent short and 49 per cent very short. On crop land, crop districts 3AN and 4B are reporting that 96 per cent and 100 per cent, respectively, are short to very short topsoil moisture. On hay land and pasture, all crop districts with the exception of CD 4A are reporting that 93 per cent to 97 per cent are short to very short topsoil moisture.

Crop development varies through the region but the majority of crops are in poor to good condition. Some earlier-seeded crops have prematurely headed out and/or flowered due to moisture stress, and stands remain short and thin. The majority of crop damage this week was caused by grasshoppers and lack of moisture.

Farmers are busy controlling pests, cutting hay where they can and hoping for rain.

East-Central Saskatchewan (Crop District 5 – Melville, Yorkton, Cupar, Kamsack, Foam Lake, Preeceville and Kelvington areas; Crop District 6A – Lumsden, Craik, Watrous and Clavet areas)

Haying continues in the region and 16 per cent has now been cut and six per cent has been baled or put into silage. Feed shortages remain a concern for some producers in the region as hay yields are expected to be well-below average. Hay quality is rated as two per cent excellent, 45 per cent good, 39 per cent fair and 14 per cent poor. Pasture conditions are rated as two per cent excellent, 24 per cent good, 42 per cent fair, 24 per cent poor and eight per cent very poor.

Rainfall ranged from trace amounts to 45 mm (the Bethune area). The Stalwart area received 12.5 mm last week, bringing its total rainfall since April 1 to 126.3 mm, the greatest amount for the region.

Little improvement was observed in topsoil moisture conditions from the little rain that fell last week. Topsoil moisture conditions on cropland are rated as one per cent surplus, 42 per cent adequate, 47 per cent short and 10 per cent very short. Hay land and pasture topsoil moisture is rated as 35 per cent adequate, 51 per cent short and 14 per cent very short. Crop District 5B is reporting that 21 per cent of cropland acres and 22 per cent of hay land and pasture acres are very short topsoil moisture at this time.

Crop development varies through the region but the majority of crops are in poor to good condition. Despite the lack of sufficient precipitation, the majority of the crops in the region look better than expected. This has been attributed to good subsoil moisture that earlier-seeded crops were able to access. The majority of crop damage this week was caused by lack of moisture and insects (mainly flea beetles, aphids and grasshoppers).

Farmers are busy controlling pests, cutting hay where they can and hoping for rain.

West-Central Saskatchewan (Crop Districts 6B – Hanley, Outlook, Loreburn, Saskatoon and Arelee areas; Crop District 7A – Rosetown, Kindersley, Eston, Major; CD 7B - Kerrobert, Macklin, Wilkie and Biggar areas)

Haying continues in the region and 27 per cent of the hay crop has now been cut and 11 per cent baled or put into silage. Many producers have indicated that there is not much hay to bale and yields will be significantly down from previous years. Hay quality is rated as 15 per cent good, 35 per cent fair and 50 per cent poor. Pasture conditions are rated as four per cent good, 24 per cent fair, 48 per cent poor and 24 per cent very poor.

Varying amounts of rainfall were received across the region, ranging from trace amounts to 49 mm in the Outlook area. Since April 1, the Rosetown area has received 119 mm of rainfall, the greatest amount for the region according to last week's reports.

Topsoil moisture conditions remain poor despite the showers received last week. Topsoil moisture conditions on cropland are rated as 21 per cent adequate, 40 per cent short and 39 per cent very short. Topsoil moisture conditions on hay land and pasture are rated as 12 per cent adequate, 36 per cent short and 52 per cent very short. Crop districts 6B and 7B are reporting that 84 per cent and 86 per cent, respectively, of cropland acres are short to very short topsoil moisture, while CD 7B is reporting that 70 per cent of hay land and pasture land is very short topsoil moisture.

Crop development varies through the region but the majority of crops are in poor to good condition. Some earlier-seeded crops have prematurely headed out and/or flowered due to moisture stress, and stands remain short and thin. The majority of crop damage this week was caused by lack of moisture and insects (mainly flea beetles, grasshoppers and aphids).

Farmers are busy controlling pests, cutting hay where they can and hoping for rain.

Northeastern Saskatchewan (Crop District 8 – Hudson Bay, Tisdale, Melfort, Carrot River, Humboldt, Kinistino, Cudworth and Aberdeen areas; Crop District 9AE – Prince Albert, Choiceland and Paddockwood areas)

Haying continues and 19 per cent of the hay crop has now been cut and nine per cent baled or put into silage. Hay quality is currently rated as 22 per cent excellent, 67 per cent good and 11 per cent fair. Pasture conditions are rated as one per cent excellent, 42 per cent good, 42 per cent fair, 14 per cent poor and one per cent very poor.

Varying amounts of rain were received last week, ranging from trace amounts to 38 mm in the Star City area. The Star City area has received the greatest amount of rainfall in the region since April 1 (176 mm).

Topsoil moisture conditions have not improved. Cropland topsoil moisture conditions are rated as 71 per cent adequate, 23 per cent short and six per cent very short. Hay land and pasture topsoil moisture is rated as 67 per cent adequate, 28 per cent short and five per cent very short.

Crop development varies through the region but the majority of crops are in poor to good condition. Some earlier-seeded crops have prematurely headed out and/or flowered due to moisture stress, and stands remain short and thin. The majority of crop damage this week was caused by lack of moisture and insects (mainly flea beetles, grasshoppers and aphids).

Farmers are busy controlling pests, cutting hay where they can and hoping for rain.

Northwestern Saskatchewan (Crop District 9AW – Shellbrook, North Battleford, Big River and Hafford areas; Crop District 9B – Meadow Lake, Turtleford, Pierceland, Maidstone and Lloydminster areas)

Haying continues and 18 per cent of the hay crop has been cut and four per cent baled or put into silage. Hay quality is currently rated as seven per cent excellent, 40 per cent good, 40 per cent fair and 13 per cent poor. Many producers indicate that yields will be low and fear a shortage of hay. More ditches are being cut to make up for the poor hay yields. Pasture conditions are rated as three per cent good, 26 per cent fair, 47 per cent poor and 24 per cent very poor

Varying amounts of rain were received last week, ranging from trace amounts to 32 mm in the Meadow Lake area. The Hafford area, which only received 5 mm last week, has received the greatest amount of rainfall in the region since April 1 (129 mm).

Topsoil moisture conditions continue to deteriorate. Cropland topsoil moisture is rated as 17 per cent adequate, 63 per cent short and 20 per cent very short. Hay land and pasture topsoil moisture is rated as nine per cent adequate, 51 per cent short and 40 per cent very short. Crop District 9AW is reporting that 60 per cent of hay and pasture land are very short topsoil moisture .

Crop development varies through the region, but the majority of crops are in poor to good condition. Some earlier-seeded crops have prematurely headed out and/or flowered due to moisture stress, and stands remain short and thin. The majority of crop damage this week was caused by lack of moisture and insects (mainly flea beetles, grasshoppers and aphids).

Farmers are busy controlling pests, cutting hay where they can and hoping for rain.

Crop Staging Tables July 6, 2015

Fall Cereals	Shot blade	Heading	Dough	Ripe
July 6 Prov. Avg.	**2.1**	**66.6**	**31.0**	**0.3**
Southeast	4.1	73.4	21.7	0.8
Southwest	7.8	54.0	38.2	0.0
East central	3.6	80.5	15.9	0.0
West central	0.0	36.2	63.8	0.0
Northeast	2.9	85.3	11.8	0.0
Northwest	4.4	54.8	40.8	0.0

Spring Cereals	Tillering	Jointed	Shotblade	Heading	Dough
July 6 Prov. Avg.	**2.8**	**17.6**	**40.2**	**39.4**	**0.0**
Southeast	5.2	8.5	46.5	39.8	0.0
Southwest	6.1	15.3	38.4	40.2	0.0
East central	1.0	18.6	39.8	38.6	2.0
West central	5.4	15.8	44.4	34.4	0.0
Northeast	6.3	28.5	42.5	22.7	0.0
Northwest	3.8	14.8	51.6	29.8	0.0

Flax	Seedling	Stem elongation	Flowering	Boll	Ripe
July 6 Prov. Avg.	**5.0**	**49.6**	**45.4**	**0.0**	**0.0**
Southeast	5.0	51.5	39.8	3.7	0.0
Southwest	6.1	36.8	55.2	1.9	0.0
East central	7.8	65.4	26.2	0.6	0.0
West central	1.2	54.6	44.2	0.0	0.0
Northeast	6.6	86.2	7.2	0.0	0.0
Northwest	0.0	59.1	40.9	0.0	0.0

Canola & Mustard	Seedling	Rosette	Flowering	Podded	Ripe
July 6 Prov. Avg.	**9.1**	**35.6**	**54.0**	**1.3**	**0.0**
Southeast	2.3	45.0	50.2	2.5	0.0
Southwest	7.8	24.6	60.1	7.5	0.0
East central	6.0	52.0	42.0	0.0	0.0
West central	8.6	42.9	48.2	0.3	0.0
Northeast	3.0	56.2	40.4	0.4	0.0
Northwest	14.5	53.0	32.5	0.0	0.0

Pulse Crops	Vegetative	Flowering	Podded	Ripe
July 6 Prov. Avg.	**18.4**	**66.7**	**14.9**	**0.0**
Southeast	41.6	51.2	7.2	0.0
Southwest	30.6	42.6	26.8	0.0
East central	16.3	74.0	9.7	0.0
West central	31.3	63.4	5.3	0.0
Northeast	9.4	67.1	23.5	0.0
Northwest	4.2	79.3	16.5	0.0

Crop Districts and Rural Municipalities in Saskatchewan



Weekly Rainfall

from June 30 to July 6, 2015



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Government of Saskatchewan

0 25 50 100 150 200
Kilometers
Projection: UTM Zone 13 Datum: NAD83

N

Data Source:
Rainfall - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Geomatics Services, Ministry of Agriculture July 8, 2015

© 2015 Government of Saskatchewan

Weekly Rainfall Summary

(in millimeters) 1 inch = 25 mm for the period June 30 to July 6, 2015

Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr
1A	2	Mount Pleasant	2	139
	3	Enniskillen	6	146
	33	Moose Creek	N/A	170
	34	Browning	N/A	104
	61	Antler	N/A	136
	63	Moose Mountain	25.3	121.5
	64	Brock	4	116
	65	Tecumseh	5	96.5
1B	91	Maryfield	6	130
	122	Martin	10	160
	123	Silverwood	N/A	126
	124	Kingsley	NIL	102
	125 A	Chester	1	106
	125 B	Chester	NIL	114
	151 A	Rocanville	7	126
	154	Elcapo	N/A	96
	155 A	Wolseley	2	111
2A	67	Weyburn	NIL	71
	68	Brokenshell	7	72
	97	Wellington	6	72.5
2B	127 A	Francis	4.5	74.5
	127 B	Francis	NIL	40
	129	Bratt's Lake	10	30.5
	131 A	Baildon	4	47
	131 B	Baildon	7	44
	156 A	Indian Head	0.5	51
	156 B	Indian Head	16	147
	160 A	Pense	2	10
	161	Moose Jaw	2	60
	162	Caron	4.2	32.2
	191	Marquis	N/A	54
3ASE	38 A	Laurier	NIL	61.6
	38 B	Laurier	9	57
	39 A	The Gap	4	81
3ASW	10	Happy Valley	NIL	75
	12	Poplar Valley	4	116
	40 A	Bengough	N/A	N/A
	40 B	Bengough	N/A	48
	42	Willow Bunch	6	85
	43	Old Post	6	70.5
	70	Key West	N/A	25.4
	73 A	Stonehenge	8.9	92.5
	73 B	Stonehenge	14	97
3AN	101	Terrell	4	37
	102	Lake Johnston	4.0	45.0
	103	Sutton	9	91
	132 A	Hillsborough	36.5	123
	132 B	Hillsborough	8	63
	134	Shamrock	N/A	31.5
	193 A	Eyebrow	9	97
	193 B	Eyebrow	8	105
3BS	17	Val Marie	N/A	17.5
	75 A	Pinto Creek	N/A	94
	75 B	Pinto Creek	N/A	43
	76	Auvergne	29	101
	77	Wise Creek	20	84
	78	Grassy Creek	27	103.5
	105	Glenbain	3	91
	106	Whiska Creek	6	86
	107	Lac Pelletier	5.5	68.5
	108	Bone Creek	12	57
3BN	138 A	Webb	33	91.5
	138 B	Webb	14	55.5
	166	Excelsior	NIL	48
	167	Sask. Landing	2.2	68.2
	168 A	Riverside	0	50
	168 B	Riverside	4.3	41.0
	226	Victory	N/A	75
	228	Lacadena	1	42
	257	Monet	1	30

Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr
4A	49	White Valley	32	141.0
	51	Reno	N/A	71.6
	79	Arlington	38	116
	109 A	Carmichael	13	61
	109 B	Carmichael	N/A	49
	110	Piapot	5	34
	111	Maple Creek	N/A	31.3
4B	139	Gull Lake	N/A	54
	142	Enterprise	2	91.6
	189	Pittville	1	31
	231	Happyland	N/A	20
	183 B	Fertile Belt	2	106
5A	186	Abernethy	8	80
	211	Churchbridge	3	88
	213	Saltcoats	16	117
	216	Tullymet	28	62
	241	Calder	9	67
	243	Wallace	9	79
	244	Orkney	5	67
	245 A	Garry	6	60
	245 B	Garry	9	70
	245 C	Garry	5	82
	246	Ituna Bon Accord	4	48
	247	Kellross	4	47
	248	Touchwood	4	57.0
	271	Cote	NIL	52
	273	Sliding Hills	NIL	32
	277	Emerald	NIL	55
5B	305	Invermay	NIL	87.5
	307	Elfros	NIL	58
	308 A	Big Quill	NIL	58
	308 B	Big Quill	NIL	32.5
	331	Livingston	2	57
	336	Sasmin	NIL	46
	337	Lakeview	1	94
	338	Lakeside	NIL	65
	366	Kelvington	6	98
	367	Ponass Lake	N/A	113.5
6A	190 A	Dufferin	45	101
	190 B	Dufferin	18	92
	190 C	Dufferin	13	54
	190 D	Dufferin	9	64
	219 A	Longlaketon	15	89
	219 B	Longlaketon	19	59
	220	Mcdillop	11	79
	221	Samia	13.5	92.6
	222	Craik	15	123
	251	Big Arm	12.5	126.3
	252	Arm River	28	112
	279	Mount Hope	N/A	59
	282	McCraney	20	112
	312	Morris	NIL	38
	313	Lost River	N/A	98
	339	Leroy	1.2	108.2
	340	Wolverine	1	77
	341	Viscount	1	101
	343 A	Blucher	NIL	114.7
	343 B	Blucher	N/A	65
6B	223	Huron	10	14
	284	Rudy	4	119
	285	Fertile Valley	4	83
	286	Milden	N/A	71
	314	Dundurn	3	98.5
	344	Corman Park	NIL	51
	348	Perdue	2	50
	376	Eagle Creek	NIL	72
	403	Rosthern	2	59

Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr
7A	287	St. Andrews	49	109
	288	Pleasant Valley	35	83
	290 A	Kindersley	30.0	63.0
	290 B	Kindersley	38.0	76.2
	290 C	Kindersley	N/A	2
	292	Milton	N/A	71
	317 A	Marriott	16	77
	317 B	Marriott	NIL	78
	318	Mountain View	12	78
	320 A	Oakdale	19	67
	320 B	Oakdale	12	50
	321	Prairiedale	14	96.5
7B	347	Biggar	3	68
	350 A	Mariposa	13	35
	350 B	Mariposa	30	55
	351	Progress	N/A	32
	352	Heart's Hill	9	46
	377	Glenside	NIL	64
	378 B	Rosemount	N/A	67
	379	Reford	6	34
	381	Grass Lake	12	26.5
	382	Eye Hill	5	20
	409	Buffalo	5	31
	410	Round Valley	25.4	57.9
8A	396	Porcupine	N/A	41
	397	Barrier Valley	5.8	106.5
	428	Star City	38	176
	456	Arborfield	3	132
	457	Connaught	1	96.0
	486	Moose Range	6	105
	487	Nipawin	NIL	127
8B	369	St. Peter	NIL	93
	370 A	Humboldt	NIL	121
	370 B	Humboldt	N/A	85
	371	Bayne	N/A	103
	372	Grant	NIL	107.2
	400	Three Lakes	NIL	76
	402	Fish Creek	NIL	95
	429	Flett's Springs	4	121
	459	Kinistino	N/A	137
	460	Birch Hills	2.2	77.6
9AE	488	Torch River	14	109
	520	Paddockwood	N/A	65
	521	Lakeland	N/A	65
9AW	406	Mayfield	NIL	73
	435	Redberry	5	129
	436	Douglas	NIL	79
	463	Duck Lake	2	121.5
	467 A	Round Hill	7	65
	467 B	Round Hill	2	56
9B	438	Battle River	N/A	43
	440	Hillsdale	15	60
	442	Manitou Lake	11.2	59.7
	498 A	Parkdale	14	79.6
	498 B	Parkdale	5	67
	499 A	Mervin	11.0	77.0
	499 B	Mervin	1	1
	501 A	Frenchman Butte	20	98
	501 B	Frenchman Butte	12	57
	501 C	Frenchman Butte	N/A	59
	502	Britannia	14.5	48.5
	561	Loon Lake	NIL	57
	588 A	Meadow Lake	32	78
	588 B	Meadow Lake	N/A	N/A
	588 C	Meadow Lake	12	57
	622	Beaver River	N/A	69.5

These precipitation amounts represent point locations within each municipality and do not necessarily reflect the whole R. M.

Municipality No: A, B and C - more than one reporter

Cumulative Rainfall

from April 1 to July 6, 2015



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Government of Saskatchewan

0 25 50 100 150 200
Kilometers
Projection: UTM Zone 13 Datum: NAD83

N

Data Source:
Rainfall - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Geomatics Services, Ministry of Agriculture July 8, 2015

© 2015 Government of Saskatchewan

Cropland Topsoil Moisture Conditions

July 6, 2015



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Government of Saskatchewan

0 25 50 100 150 200

Kilometers

Projection: UTM Zone 13 Datum: NAD83

N

Data Source:
Moisture - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Geomatics Services, Ministry of Agriculture July 8, 2015

© 2015 Government of Saskatchewan

Hay and Pasture Topsoil Moisture Conditions

July 6, 2015



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Government of Saskatchewan

0 25 50 100 150 200

Kilometers

Projection: UTM Zone 13 Datum: NAD83

N

Data Source:
Moisture - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Geomatics Services, Ministry of Agriculture July 8, 2015

© 2015 Government of Saskatchewan